





171000110480



中国认可
国际互认
检测
TESTING
CNAS L0358



2017苏质监验字480号

检 验 检 测 报 告

TEST REPORT

No. : (2018)CJ-WT-T0012

产 品 名 称
Product Name

抗倍特
(热固性树脂浸渍纸高压装饰层积板)
Compact (HPL)

受 检 单 位
Inspected Party

委 托 单 位
Entrusting Party

常州市亚明木业有限公司 Changzhou
Yaming Wood Industry Co., Ltd

生 产 单 位
Manufacturer

常州市亚明木业有限公司 Changzhou
Yaming Wood Industry Co., Ltd

检 验 类 别
Test Kind

Entrusted test



常州市产品质量监督检验所

Changzhou Product Quality Inspection & Supervision Institute

常州市产品质量监督检验所

Changzhou Product Quality Inspection & Supervision Institute

检验检测报告

TEST REPORT

No. : (2018)CJ-WT-T0012

共 3 页 第 1 页


产品名称 Product Name	抗倍特 (热固性树脂浸渍纸高压装饰层积板) Compact (HPL)		商标 Trademark	武亚
生产日期/批号 Production Date/Batch No.	_____/2018.01.20		规格型号 Model & Type	8mm
受检单位/地址/电话/邮编 Inspected Party/Add/Tel/Zip	_____/_____/_____/_____			
委托单位/地址/电话/邮编 Entrusting Party/Add/Tel/Zip	常州市亚明木业有限公司 Changzhou Yaming Wood Industry Co., Ltd/常州市经开区横林镇新横崔路55号 No. 55 New Hengcui Road Henglin Town Changzhou City/13815029218/213103			
生产单位/地址/电话/邮编 Manufacturer/Add/Tel/Zip	常州市亚明木业有限公司 Changzhou Yaming Wood Industry Co., Ltd/常州市经开区横林镇新横崔路55号 No. 55 New Hengcui Road Henglin Town Changzhou City/13815029218/213103			
样品数量 Sample Quantity	3片 Three pieces	样品编号 Samples list No.	Y(2018)CJ-WT-T0012	
样品状态 Sample Description	In good condition	样品到达日期 Samples Arrival Date	2018-01-22	
样品等级 Grade	检验检测类别 Test Kind	Entrusted test	检验检测日期 Test Date	2018-01-23~2018-02-02
检验检测和判定依据 Test Standard(s)	GB/T 7911-2013 《热固性树脂浸渍纸高压装饰层积板(HPL) High-pressure decorative laminates-Sheets made from thermosetting resins》			
检验检测结论 Conclusion	经检验, 所检项目符合GB/T 7911-2013标准规定的要求。After being tested the sample, the tested items are up to the standards of GB/T 7911-2013. <div style="text-align: right;">  (检验检测机构盖章) Test institution (Sealing) 签发日期 2018年2月5日 Issue date 2018年2月5日 </div>			
检验检测地点 Address	Changzhou Product Quality Inspect and Supervision Institute, Henglin			
备注 Note				

批准: 郑洪连


审核: 殷俊

主检: 张卫海


Approval:



Proofreader:



Major tester:



职务: 授权签字人

post: Authorized signatory

检 验 检 测 结 果

Test Results

No. : (2018)CJ-WT-T0012

共 3 页 第 2 页

序号 No.	检验检测项目 Test Items	单位 Unit	技术要求 Standard Requirements	检验检测结果 Test Results	单项评价 Item Evaluate	
1	耐磨性能 Abrasion resistance	—	3级 level 3	3级 level 3	合格 Qualified	
2	耐沸水性能 Resistance to immersion in boiling water	质量增加百分率, % Mass increase	— ≤2.5	0.8	合格 Qualified	
		厚度增加百分率, % Thickness increase	— ≤5.5	1.2	合格 Qualified	
	外观 Appearance	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified	
3	耐干热性能 Resistance to dry heat	外观光泽 Appearance gloss finish	—	等级不低于3级 Not worse than level 3	2级 Level 2	合格 Qualified
		其他 Other finishes	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified
4	耐湿热 Resistance to wet heat	—	等级不低于5级 Not worse than level 5	2级 Level 2	合格 Qualified	
5	耐水蒸气 Resistance to water vapour	—	等级不低于4级 Not worse than level 4	2级 Level 2	合格 Qualified	
6	抗大球冲击 (落球高度100cm) Resistance to impact by large-diameter ball (Drop height 100cm)	mm	凹痕直径≤10 Diameter of indentation≤10	1: 5 2: 5 3: 5 4: 5 5: 5	合格 Qualified	
7	耐划痕 Resistance to scratching	—	3级 Level 3	3级 Level 3	合格 Qualified	
8	耐污染 Resistance to staining	丙酮(分析纯) Acetone (AR)	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified
		咖啡(每升水中含120g咖啡) Coffee (120 g of coffee per litre of water)	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified
		氢氧化钠25%(分析纯) Sodium hydroxide 25% solution (AR)	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified
		双氧水25%~30%(分析纯) Hydrogen peroxide 25%~30% solution (AR)	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified

检 验 检 测 结 果

Test Results

No. : (2018)CJ-WT-T0012

共 3 页 第 3 页

序号 No.	检 验 检 测 项 目 Test Items		单 位 Unit	技 术 要 求 Standard Requirements	检 验 检 测 结 果 Test Results	单 项 评 价 Item Evaluate
8	耐污染 Resistance to staining	鞋油 Shoe polish	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified
		柠檬酸10% (食用) Citric acid 10% solution (edible)	—	等级不低于4级 Not worse than level 4	1级 Level 1	合格 Qualified
9	耐香烟灼烧 Resistance to cigarette burns	中华牌香烟 Chunghua cigarette	—	等级不低于3级 Not worse than level 3	2级 Level 2	合格 Qualified
		红塔山牌香烟 Hongtashan cigarette	—	等级不低于3级 Not worse than level 3	2级 Level 2	合格 Qualified
		牡丹牌香烟 Peony cigarette	—	等级不低于3级 Not worse than level 3	2级 Level 2	合格 Qualified
10	耐龟裂性能 Resistance to crazing		—	等级不低于4级 Not worse than level 4	5级 Level 5	合格 Qualified
11	抗拉强度 Tensile Strength		MPa	≥60	66.926	合格 Qualified
12	滞燃性能 Reaction to fire	氧指数, % Oxygen index	—	B ₂ 级 ≥27 Level B ₂ ≥27	37.2	合格 Qualified
		水平燃烧 Horizontal burning	—	B ₂ 级, 不低于HB40级 Level B ₂ , not worse than level HB40	HB级 Level HB	合格 Qualified
		垂直燃烧 Vertical burning	—	B ₂ 级, 不低于V-1级 Level B ₂ , not worse than level V-1	V-1级 Level V-1	合格 Qualified
备注 Note						